

J&B DOOR SHOP



PRODUCT CATALOG 2026

**J&B
2750 LEXINGTON AVE.
MANSFIELD, OH 44904
(419) 884-1155**

McKinney MacPro Hinges

MODEL	SIZE	FINISH	WEIGHT
MPB79	4.5" x 4.5"	US26D	Standard
MPB79 NRP	4.5" x 4.5"	US26D	Standard
MPB91 NRP	4.5" x 4.5"	US32D	Standard
MPS60 - SPRING HINGE	4.5" x 4.5"	US26D	Standard



Pemko Continuous Hinges

MODEL	SIZE	FINISH	WEIGHT
CFS83 AL	83"	Clear	Standard
CFS83 DKB	83"	Dark Bronze	Standard



FALCON REMOVABLE MULLION POST

MODEL	SIZE	FINISH
2923	1 1/2" x 2 1/2" x 7' 2"	689



NORTON DOOR CLOSERS

MODEL	DESCRIPTION	FINISH
8501	TRI-PACK ARM MOUNT	689
7500	TRI-PACK ARM MOUNT	689
CPS7500	CLOSER PLUS SPRING ARM PARALLEL MOUNT	689
CPS7500T	CPS7500 WITH HOLD OPEN	689



Yale Cylindrical Lockset, Deadbolts, & Exit Devices

SCHLAGE 'C' KEYWAY STANDARD ON ALL IN STOCK LOCKS

MODEL	FUNCTION	FINISH
4601LN	PASSAGE LEVER	626
4602LN	PRIVACY LEVER	626
4605LN	STOREROOM LEVER	626
4607LN	OFFICE / ENTRY LEVER	626
4608LN	CLASSROOM LEVER	626
4601CA	PASSAGE BALL KNOB	626
4602CA	PRIVACY BALL KNOB	626
4605CA	STOREROOM BALL KNOB	626
4607CA	OFFICE / ENTRY BALL KNOB	626
4608CA	CLASSROOM BALL KNOB	626
D212	CYLINDER x THUMBTURN DEADBOLT	626
D222	CYLINDER x CYLINDER DEADBOLT	626
D292	THUMBTURN x INDICATOR DEADBOLT	626
2100	RIM EXIT DEVICE	689
AU 446F	08 LEVER ROSE TRIM	626
AU 446F	09 LEVER ROSE TRIM	626
AU 426F	08/09 FULL ESCUTCHEON LEVER TRIM	630



4600LN



4600CA



D212



2100



AU 446F



AU 426F

PDQ RIM EXIT DEVICES

SCHLAGE 'C' KEYWAY STANDARD ON ALL IN STOCK LOCKS

MODEL	FUNCTION	FINISH
6300R	RIM EXIT DEVICE	626
6W 08 PHL	08 FULL ESCUTCHEON LEVER TRIM	626



NATIONAL GUARD PRODUCTS

MODEL	DESCRIPTION	FINISH
5050C 17'	SELF ADHESIVE FIRE & SMOKE SEAL	ALUMINUM
5050C 20'	SELF ADHESIVE FIRE & SMOKE SEAL	ALUMINUM
160V FATT 17'	SET WEATHERSTRIPPING	ALUMINUM
160V FATT 20'	SET WEATHERSTRIPPING	ALUMINUM
185PA FATT 17'	SET WEATHERSTRIPPING	ALUMINUM
185PA FATT 20'	SET WEATHERSTRIPPING	ALUMINUM
804V 3'	VINYL BUMPER SEAL THRESHOLD	ALUMINUM
804V 4'	VINYL BUMPER SEAL THRESHOLD	ALUMINUM
804V 6'	VINYL BUMPER SEAL THRESHOLD	ALUMINUM
513 3'	5" ADA SADDLE THRESHOLD	ALUMINUM
513 4'	5" ADA SADDLE THRESHOLD	ALUMINUM
513 6'	5" ADA SADDLE THRESHOLD	ALUMINUM
426 3'	6" ADA SADDLE THRESHOLD	ALUMINUM
426 4'	6" ADA SADDLE THRESHOLD	ALUMINUM
426 6'	6" ADA SADDLE THRESHOLD	ALUMINUM
115NA 7'	SET ASTRAGAL WITH EPDM SEAL	ALUMINUM
185PA FATT 7'	SET ASTRAGAL WITH BRUSH SEAL	ALUMINUM
16A 40"	DRIP CAP	ALUMINUM
16A 76"	DRIP CAP	ALUMINUM



5050C



160V



185PA



115NA



16A



513



426



804V

FIRELANDS HARDWARE DOOR SWEEPS

MODEL	DESCRIPTION	FINISH
DSV AL 36"	1" BRUSH WITH EPDM INSERT	ALUMINUM
DSV AL 48"	1" BRUSH WITH EPDM INSERT	ALUMINUM
DSV DB 36"	1" BRUSH WITH EPDM INSERT	DARK BRONZE
DSV DB 48"	1" BRUSH WITH EPDM INSERT	DARK BRONZE



ROCKWOOD

MODEL	DESCRIPTION	FINISH
#460	KICK DOWN STOP	PAINTED ALM
#409	WALL STOP	US32D
#441CU	FLOOR STOP	US26D
#494-RKW	DOOR HOLDER	US26D
#123X70B+70B	SET PUSH & PULL	US32D
#123X70B	PULL PLATE	US32D
70B	PUSH PLATE	US32D
K1050 8" X 34"	KICK PLATE	US32D
#2672 w/ 2601AB	COORDINATOR w/ MOUNTING BLOCKS	US28
#555	FLUSH BOLT SET, HM DOOR	US26D
#557	FLUSH BOLT SET, WOOD DOOR	US26D
#580-8	SURFACE BOLT SET	US26D
#550	FLUSH BOLT SET, HM DOOR	US26D
#622	190 DEGREE VIEWER	STNN
#630-4	DUTCH DOOR BOLT	US26D
#320-RKW	LATCH PROTECTOR	US32D
#320C	LATCH PROTECTOR	US32D
#320CL	LATCH PROTECTOR	US32D
#321	LATCH PROTECTOR	US32D
DON-JO PUSH PLATE	3 1/2" X 15" PUSH PLATE	ALUMINUM



460



409



441CU



494-RKW



622



630-4



123 x 70B + 70B



555



557



550



K1050



2672



580-8



320-RKW



320C



320CL



321

CURRIES WELDED HOLLOW METAL FRAMES


SIZE	DESCRIPTION
2068 - 3068	5 3/4" FULL WELD w/ 2" HEAD BAR
2068 - 3068	5 3/4" FULL WELD w/ 4" HEAD BAR
2070 - 3070	5 3/4" FULL WELD w/ 2" HEAD BAR
2070 - 3070	5 3/4" FULL WELD w/ 4" HEAD BAR
3468 - 4068	5 3/4" FULL WELD w/ 2" HEAD BAR
3468 - 4068	5 3/4" FULL WELD w/ 4" HEAD BAR
3470 - 4070	5 3/4" FULL WELD w/ 2" HEAD BAR
3470 - 4070	5 3/4" FULL WELD w/ 4" HEAD BAR
4168 - 6068	5 3/4" FULL WELD w/ 2" HEAD BAR
4168 - 6068	5 3/4" FULL WELD w/ 4" HEAD BAR
4170 - 6070	5 3/4" FULL WELD w/ 2" HEAD BAR
4170 - 6070	5 3/4" FULL WELD w/ 4" HEAD BAR

- Welded frames are available with a 1 3/4" face.
- All custom frames are priced individually, speak with someone in the door shop for pricing.



CURRIES KNOCK DOWN HOLLOW METAL FRAMES

SIZE	DESCRIPTION
2068 - 3070	5 7/8" KNOCK DOWN FRAME
3168 - 4070	5 7/8" KNOCK DOWN FRAME
4168 - 6070	5 7/8" KNOCK DOWN FRAME



SINGLE DOOR		DOUBLE DOOR	
1 LEFT HAND		5 LEFT HAND ACTIVE	
2 RIGHT HAND		6 RIGHT HAND ACTIVE	
3 LEFT HAND REVERSE		7 LEFT HAND REVERSE ACTIVE	
4 RIGHT HAND REVERSE		8 RIGHT HAND REVERSE ACTIVE	

DOUBLE DOOR 'Z' ASTRAGAL HANDING:
 - LEFT HAND ACTIVE USE RIGHT HAND ASTRAGAL.

- RIGHT HAND ACTIVE USE LEFT HAND ASTRAGAL.

- LEFT HAND REVERSE ACTIVE USE LEFT HAND ASTRAGAL.

- RIGHT HAND REVERSE ACTIVE USE RIGHT HAND ASTRAGAL

CURRIES HOLLOW METAL DOORS

MODEL	DESCRIPTION
507S	3068 G2 or G3AEO PREP
507S	3070 G2 or G3AEO PREP
607S	2668 G2 or G3AEO PREP
607S	2868 G2 or G3AEO PREP
607S	3068 G2 or G3AEO PREP
607S	3668 G2 or G3AEO PREP
607S	3868 G2 or G3AEO PREP
607S	4068 G2 or G3AEO PREP
607S	2670 G2 or G3AEO PREP
607S	2870 G2 or G3AEO PREP
607S	3070 G2 or G3AEO PREP
607S	3670 G2 or G3AEO PREP
607S	3870 G2 or G3AEO PREP
607S	4070 G2 or G3AEO PREP
Z1E1	Z ASTRAGAL 6' 8" or 7'
Z1E1H1	Z ASTRAGAL 6' 8" or 7' w/ FLUSH BOLT PREP
UL	ADDITIONAL COST FOR FIRE RATED DOOR



DOOR LITE KITS AND LOUVERS

MODEL
10" X 10" LITE KIT
11" X 11" 1/4" TEMPERED GLASS
10" X 10" LITE KIT w/ GLASS INSTALLED
11" X 11" 1/4" 90 MINUTE FIRE RATED TEMPERED GLASS
10" X 10" LITE KIT w/ 90 MINUTE FIRE RATED GLASS INSTALLED
5" X 20" LITE KIT
6" X 21" 1/4" TEMPERED GLASS
5" X 20" LITE KIT w/ GLASS INSTALLED
6" X 21" 1/4" 90 MINUTE FIRE RATED TEMPERED GLASS
5" X 20" LITE KIT w/ 90 MINUTE FIRE RATED GLASS INSTALLED
24" X 28" LITE KIT
24 1/4" X 28 1/8" 1/4" TEMPERED GLASS
24" X 28" LITE KIT w/ GLASS INSTALLED
24 1/4" X 28 1/8" 1/4" 90 MINUTES FIRE RATED TEMPERED GLASS
24" X 28" LITE KIT w/ 90 MINUTE FIRE RATED GLASS INSTALLED
24" X 12" LOUVER
24" X 12" LOUVER INSTALLED



BOBRICK RESTROOM ACCESSORIES

MODEL	DESCRIPTION	FINISH
B-6806x18	18" GRAB BAR	STAINLESS STEEL
B-6806x36	36" GRAB BAR	STAINLESS STEEL
B-6806x42	42" GRAB BAR	STAINLESS STEEL
B-165 18x30	18" X 30" CHANNEL FRAME MIRROR	STAINLESS STEEL



MISCELLANEOUS HARDWARE

ITEM
THIMBLE STRIKE
8" DOOR EDGE FILLER #EF86
ASA STRIKE FILLER #FS 260 PC
8" DOOR EDGE CONVERSION PLATE
DOOR HINGE FILLER
FRAME HINGE FILLER
SMALL DOOR EDGE FILLER #EF161
DEADBOLT PREP KIT
EXISTING WALL CLIP
EXISTING WALL ANCHOR MASONARY BOLT
EXISTING WALL ANCHOR WOOD BOLT
8' DOOR BOTTOM
MISCELLANEOUS FRAME ANCHORS (WITHOUT FRAME PURCHASE)
SPOON STRIKE
THROAT FILLER
ILCO RIM/MORTISE CYLINDER (NOT KEYED)

SHOP LABOR

LABOR
DEADLOCK PREP
CYLINDRICAL LOCK PREP
MORTISE LOCK PREP
LITE KIT / LOUVER INSTALL
FRAME WELDING
DOOR PAINTING
FRAME PAINTING
CUT DOWN DOOR FULL WIDTH
CUT DOWN DOOR FULL HEIGHT
PUNCH & DIMPLE FRAME
UNDERCOAT FRAME
UNDERCOAT DOOR
OVERCOAT DOOR & FRAME UP TO 12"

KEYING

DESCRIPTION
DUMMY CYLINDER
KEY IN LEVER w/ 2 KEYS INCLUDED
RIM CYLINDER KEYING w/ 2 KEYS INCLUDED
MORTISE CYLINDER KEYING w/ 2 KEYS INCLUDED
KEY COPY / ADDITIONAL KEYS

- Available in stock key ways include:
 - Schlage C
 - Sargent LA
 - Kwikset KW1
 - Corbin 60
 - Corbin L4
 - Russwin981
 - Russwin D1
 - Yale Para 8
- Additional keyways available for special order.

ROUGH OPENING SIZES

TO CALCULATE HOLLOW METAL FRAME ROUGH OPENING FOR
WELDED FRAMES ADD 4-1/4" TO THE WIDTH & 2-1/8" TO THE HEIGHT

DOOR SIZE	ROUGH OPENING
2'6" X 6'8"	34-1/4" X 82-1/8"
2'8" X 6'8"	36-1/4" X 82-1/8 "
3'0" X 6'8"	40-1/4" X 82-1/8 "
3'6" X 6'8"	46-1/4" X 82-1/8 "
4'0" X 6'8"	52-1/4" X 82-1/8 "
5'0" X 6'8"	64-1/4" X 82-1/8 "
5'4" X 6'8"	68-1/4" X 82-1/8 "
6'0" X 6'8"	76-1/4" X 82-1/8 "
TO CALCULATE ROUGH OPENING FOR 7'0" DOOR HEIGHT ADD 4" TO HEIGHT	

TO CALCULATE HOLLOW METAL FRAME ROUGH OPENING FOR
KNOCK DOWN FRAMES ADD 2" TO THE WIDTH & 1" TO THE HEIGHT

DOOR SIZE	ROUGH OPENING
2'6" X 6'8"	32" X 81"
2'8" X 6'8"	34" X 81 "
3'0" X 6'8"	38" X 81 "
3'6" X 6'8"	44" X 81 "
4'0" X 6'8"	50" X 81 "
5'0" X 6'8"	62" X 81 "
5'4" X 6'8"	66" X 81 "
6'0" X 6'8"	74" X 81 "
TO CALCULATE ROUGH OPENING FOR 7'0" DOOR HEIGHT ADD 4" TO HEIGHT	

6-8 x 1 3/4 Door with 3-Ea 4 1/2" Butts

All Dimensions are from the TOP of the DOOR.

	Top of Top Hinge	Top of Middle Hinge	Top of Bottom Hinge	Cylindrical Centerline	Top of Mortise Pocket	Mortise Pocket Centerline
Pioneer	4 7/8	35 1/8	65 3/8	41 7/8	38 1/4	42 1/4
Amweld	7 3/8	37 5/16	67 1/4	39 9/16	35 15/16	39 15/16
Builders	4 7/8	35 1/8	65 3/8	41 7/8	38 1/4	42 1/4
Ceco	6 5/8	37 5/8	68 5/8	38 1/16	34 7/16	38 7/16
Curries	4 7/8	35 1/8	65 3/8	39 7/8	36 1/4	40 1/4
Fenestra	5 1/8	35 1/8	65 1/8	39 9/16	35 15/16	39 15/16
Kewanee	7 1/4	37 5/16	67 3/8	39 9/16	35 15/16	39 15/16
Mesker	4 7/8	35 1/8	65 3/8	39 9/16	35 15/16	39 15/16
Republic	7 3/8	37 5/16	67 1/4	39 9/16	35 15/16	39 15/16
Steelcraft	7 3/8	37 5/16	67 1/4	39 9/16	35 15/16	39 15/16

7-0 x 1 3/4 Door with 3-Ea 4 1/2" Butts

All Dimensions are from the TOP of the DOOR.

	Top of Top Hinge	Top of Middle Hinge	Top of Bottom Hinge	Cylindrical Centerline	Top of Mortise Pocket	Mortise Pocket Centerline
Pioneer	4 7/8	37 1/8	69 3/8	45 7/8	42 1/4	46 1/4
Amweld	7 3/8	39 5/16	71 1/4	43 9/16	39 15/16	43 15/16
Builders	4 7/8	37 1/8	69 3/8	45 7/8	42 1/4	46 1/4
Ceco	6 5/8	39 5/8	72 5/8	42 1/16	38 7/16	42 7/16
Curries	4 7/8	37 1/8	69 3/8	43 7/8	40 1/4	44 1/4
Fenestra	5 1/8	37 1/8	69 1/8	43 9/16	39 15/16	43 15/16
Kewanee	7 1/4	39 5/16	71 3/8	43 9/16	39 15/16	43 15/16
Mesker	4 7/8	37 1/8	69 3/8	43 9/16	39 15/16	43 15/16
Republic	9 3/8	39 5/16	69 1/4	43 9/16	39 15/16	43 15/16
Steelcraft	7 3/8	39 5/16	71 1/4	43 9/16	39 15/16	43 15/16

Replacement Door Worksheet

Company:

Contact:

Job Name:

Mark #:

Email Address:

Phone Number:

FRAME TYPE:

HEAD FACE:

JAMB DEPTH:


DOOR TYPE:

ROUGH OPENING SIZE:

JAMB FACE:

FIRE RATING:

If you are ordering a Door and Frame measurements A - J are not required. All new frames will come standard with Curries hinge and strike locations.



A. Door Width:

B. Door Height:

C. Top of door to top of hinge #1:

D. Top of door to top of hinge #2:

E. Top of door to top of hinge #3:

F. Top of door to centerline of lock prep:

G. Top of door to centerline of deadbolt cutout:

H. Lock Backset:

I. Door Thickness:

J. Hinge Height:

The hand of a door is always determined from the outside.

DOOR HANDING:

DOOR FACE TYPE:

GLASS TYPE:

ADDITIONAL DOOR NOTES: _____



Hinge:

Lockset:

Push & Pull: ☐

Deadbolt:

Exit Device:

Closer:

Kickplate: ☐

Door Stop:

Latch Guard:

Weatherstrip:

Threshold:


Sweep: ☐

Drip Cap: ☐

Door Viewer: ☐

ADDITIONAL HARDWARE NOTES: _____

J&B DOOR SHOP



LARGE QUANTITY AND SPEC JOB QUOTES

If you are looking to price large quantities, custom material, or a quote for a spec'd job please reach out to our door division sales team. We are able to provide pricing for a large array of door, frame, and hardware products far beyond what we keep stocked in our shop.

CONTACT US

DOOR DIVISION MANAGER:
ERICH SCHROEDER
erich@jb-ohio.com

RESTROOM ACCESSORIES:
RON AUGUSTINE
ron@jb-ohio.com

DOOR SHOP & OVER THE COUNTER SALES:
doorshop@jb-ohio.com

DOOR DIVISION ESTIMATING:
CHRIS THOMPSON, DHT
chris@jb-ohio.com